



MAGNUS

MAGNUS OPTO SYSTEMS INDIA PVT. LTD., NOIDA



Price List FY 25-26

Nationwide Sales & Services Network. Microscopes Exported to more than 30 Countries Worldwide.
Most preferred Microscope by Pathologists & Medical Colleges for Clinical Use & Education



MAGNUS

Some of our Esteemed Customers



INDEX

Description	Page No.
CLINICAL MICROSCOPE <i>MX21i series/ MX35i PRO</i>	1
BIOLOGICAL MICROSCOPE <i>CH20i series</i>	2
RESEARCH MICROSCOPE <i>MLXi plus / PRO series</i>	3-4
TEACHING MICROSCOPES <i>Penta/Dual/ Deca Head</i>	5
EDUCATIONAL MICROSCOPE <i>MLX Plus series</i>	6-7
MONOCULAR MICROSCOPE <i>HM100 /SM100</i>	7
STEREO MICROSCOPE <i>MS24/ MS13/ FM24</i>	8
STEREOZOOM MICROSCOPE <i>MSZ series</i> & acc.	9
STEREOZOOM MICROSCOPE <i>ZM6, TZM6, TMZ12</i> & acc.	10-11
INVERTED MICROSCOPE <i>INVI</i> & acc.	12
INVERTED MICROSCOPE <i>FL INVERSE</i>	13
<i>FLUORESCENCE</i> MICROSCOPE	14
REFLECTED FLUORESCENCE <i>EPI-LED</i> ATTACHMENT	15
<i>CAMERAS</i> & ADAPTERS	16-18
<i>DIGITAL</i> MICROSCOPE	18
<i>PHASE CONTRAST</i> ATTACHMENT & <i>PHASE MICROSCOPES</i>	19
<i>DARK FIELD</i> & <i>POLARIZING</i> ATTACHMENT	20
OBSERVATION <i>TUBES</i>	21
<i>OBJECTIVES, EYEPIECES</i> & <i>SPARES</i>	21-23
TERMS & CONDITIONS	24

PRICE LIST (2025-26)

(Effective from 5th May 2025)


ITEM DESCRIPTION

Customer Price
in INR.
(Excl. GST &
Transportation)

MAGNUS RESEARCH MICROSCOPES

1 MX21i MICROSCOPES / MX35i PRO

MX21i Halogen	: Rs 70525	MX21i TR Halogen	: Rs 73725
MX21i LED	: Rs 72275	MX21i TR LED	: Rs 75400
MX21i Freedom	: Rs 74820	MX21i TR Freedom	: Rs 77935
MX35i PRO (Rackless Stage, Single slider holder)		: Rs 84050	
MX35i PRO (Non Rackless Stage, double slider holder)		: Rs 84050	

- | | |
|---|----------------------|
| <p>1.1 Magnus MX21i Binocular Microscope
standard complete microscope set with Siedentopf Binocular head, integrated 6V 20W halogen light illumination, Anti-Fungal coated Plan Achromatic Objectives 4x, 10x, 40x (spring) & 100x (oil, spring), paired wide field eyepieces 10x (F.N.20).</p> <p>Features : UIS2 Infinity Plan Optics for excellent image flatness, Siedentopf binocular head with IPD adjustment, Anti-fungus treatment for tropical durability, Highpoint paired eyepieces (F.N.20), Abbe condenser with high performance aspheric lenses for bright & uniform illumination throughout the field of view, Window in arm for convenient carrying & Ergonomic design for user convenience, SMPS power supply for flicker free Illumination , Rackless specimen stage for user safety and comfort, specimen stage focus-lock prevents any accidental damage to objectives.</p> | <p>70525</p> |
|  | |
| <p>1.2 Magnus Trinocular Microscope Model MX21i-TR, same as above 'MX21i' but with Trinocular head.</p> <p>MX21i (LED)</p> | <p>73725</p> |
| <p>1.3 Magnus Binocular Microscope Model MX21i-LED, same as above 'MX21i' but replacing halogen light with Long life LED light source</p> | <p>72275</p> |
| <p>1.4 Magnus Trinocular Microscope Model MX21i-TR-LED, same as above 'MX21i-LED' but replacing Binocular with Trinocular head.</p> <p>MX21i (FREEDOM) - (LED with Battery back-up)</p> | <p>75400</p> |
| <p>1.5 Magnus Binocular Microscope Model MX21i-Freedom, same as above 'MX21i-LED' with battery back-up</p> | <p>74820</p> |
| <p>1.6 Magnus Trinocular Microscope Model MX21i-TR-Freedom, same as above 'MX21i-TR-LED' with battery back-up</p> | <p>77935</p> |
| <p>1.7 Magnus Trinocular Microscope Model MX35i PRO with inward tilt quintuple nosepiece, Plan Achromat Objectives of 4x, 10x, 20x, 40x, & 100x (oil) , LED with battery backup, Auto LED Off, rackless stage, single slide holder & cord holder.
Available in three colors choose among the below:
a) Standard Mistral Color
b) Premium Blue Soft feel
c) Premium Feather Purple Soft feel
(Do mention the color among a/b/c while placing the order)</p> | <p>84050</p> |
| <p>1.8 Magnus Trinocular Microscope Model MX35i PRO with inward tilt quintuple nosepiece, Plan Achromat Objectives of 4x, 10x, 20x, 40x, & 100x (oil) , LED with battery backup, Auto LED Off, non rackless stage (rack & pinion), double slide holder & cord holder.
Available in three colors choose among the below:
a) Standard Mistral Color
b) Premium Blue Soft feel
c) Premium Feather Purple Soft feel
(Do mention the color among a/b/c while placing the order)</p> | <p>84,050</p> |

PRICE LIST (2025-26)

(Effective from 5th May 2025)

ITEM DESCRIPTION

Customer Price
in INR.
(Excl. GST &
Transportation)

2 CH20i MICROSCOPES

CH20i Halogen : Rs 50430	CH20i TR Halogen : Rs 53410
CH20i LED : Rs 51680	CH20i TR LED : Rs 54670
CH20i Freedom : Rs 54240	CH20i TR Freedom : Rs 57130

Magnus CH20i (Halogen)

- 2.1 **Magnus Binocular Microscope Model CH20i** standard microscope set complete with Binocular head, integrated 6V 20W halogen light illumination, Anti-Fungal coated Achromatic Objectives iNEA 4x,10x,40x (spring) & 100x (oil, spring), paired wide field eyepieces iCWHK10x (F.N.18).

Features : Anti-fungus treatment optics for tropical durability, Achromatic Objectives, Abbe condenser with high performance aspheric lenses for bright & uniform illumination throughout the field of view, Window in arm for convenient carrying & Ergonomic design for user convenience, SMPS power supply for flicker free illumination etc.



50430

- 2.2 Magnus Trinocular Microscope **Model CH20i-TR**, same as above 'CH20i' replacing Binocular with Trinocular head.

53410

Magnus CH20i (LED)

- 2.3 Magnus Binocular Microscope **Model CH20i LED** same as above "CH20i" replacing halogen light with Long life LED light source

51680

- 2.4 Magnus Trinocular Microscope **Model CH20i-TR LED**, same as above 'CH20i TR' replacing halogen light with Long life LED light source

54670

Magnus CH20i (FREEDOM) - (LED with Battery back-up)

- 2.5 Magnus Binocular Microscope **Model CH20i Freedom** same as above 'Model CH20i LED' with battery back-up.

54240

- 2.6 Magnus Binocular Microscope **Model CH20i-TR Freedom** same as above 'Model CH20i-TR LED' with battery back-up.

57130

PRICE LIST (2025-26)

(Effective from 5th May 2025)


ITEM DESCRIPTION

Customer Price
in INR.
(Excl. GST &
Transportation)

MAGNUS MICROSCOPES

3 ADVANCED LABORATORY MICROSCOPES - MLXi Plus Series
(With Plan Infinity Optics & Universal Power Supply)

MLXi Plus Halogen	: Rs 53555	MLXi TR Plus Halogen	: Rs 57580
MLXi Plus LED	: Rs 54895	MLXi TR Plus LED	: Rs 58925
MLXi Plus Freedom	: Rs 57435	MLXi TR Plus Freedom	: Rs 61590

- | | | |
|---|---------------------|--|
| <p>3.1 MAGNUS ADVANCED LABORATORY BINOCULAR MICROSCOPE MODEL MLXi-Plus complete with built-in 6V20W halogen illumination with universal SMPS power supply for mains supply 100V~240V, quadruple ball bearing inward nosepiece, co-axial coarse and fine focusing control, high resolution Infinity corrected Super Plan Achromatic Objectives 4x, 10x, 40x (spring), 100x oil (spring), 360deg rotatable inclined Siedentopf Binocular observation tube, fungus resistant coated optics for tropical conditions, widefield paired eyepiece WH10x (F.N.20), right hand control co-axial low drive mechanical stage, rack & pinion drive focusable Abbe condenser 0.9/1.25 N.A with iris diaphragm and with blue Filter.</p> <p>Features : Plan Infinity Optics, Excellent Field Flatness, F.N.20, Siedentopf Head, hard coated stage with double slide holder, Easily replaceable lamp, Inward facing nosepiece, upper focus limit stopper to prevent accidental damage to objectives, Universal Power supply ensures constant voltage & International standard Quality manufacture.</p> | <p>53555</p> |  |
| <p>3.2 Magnus Advanced Laboratory Binocular Microscope Model MLXi- Plus LED same as 'MLXi-B Plus' replacing halogen illumination with Long lasting LED Illumination.</p> | <p>54895</p> | |
| <p>3.3 Magnus Advanced Laboratory Binocular Microscope Model MLXi- Plus Freedom same as 'MLXi Plus LED' including Battery Back-up.</p> | <p>57435</p> | |
| <p>3.4 Magnus Advanced Laboratory Trinocular Microscope Model MLXi-TR Plus Same as 'MLXi Plus' replacing Binocular with Trinocular Tube.</p> | <p>57580</p> | |
| <p>3.5 Magnus Advanced Laboratory Trinocular Microscope Model MLXi-TR Plus LED same as 'MLXi-TR Plus' replacing halogen light with Long lasting LED light source.</p> | <p>58925</p> | |
| <p>3.6 Magnus Advanced Laboratory Trinocular Microscope Model MLXi-TR Plus Freedom same as 'MLXi-TR Plus LED' but with Battery Back-up</p> | <p>61590</p> | |

PRICE LIST (2025-26)

(Effective from 5th May 2025)

ITEM DESCRIPTION	Customer Price in INR. (Excl. GST & Transportation)
Model MLXi Plus Pro (with F.No. 22) Series	
MLXi Plus PRO Fr.: Rs 65240 MLXi TR Plus PRO Fr. : Rs 69125	
<p>3.7 MAGNUS ADVANCE LABORATORY BINOCULAR MICROSCOPE MODEL MLXi Plus PRO Freedom complete with LED illumination with battery back, universal SMPS power supply for mains supply 100V~240V, quintuple ball bearing inward nosepiece, co-axial coarse and fine focusing control, high resolution Infinity corrected Super Plan Achromatic Objectives 4x, 10x, 20x, 40x (spring), 100x oil (spring), 360 degree rotatable inclined Siedentopf binocular observation tube with eyepoint height adjustment , fungus resistant coated optics for tropical conditions, widefield paired eyepiece WH10x (F.N.22) with one eyepiece having diopter setting, right hand control co-axial low drive rackless mechanical stage with single slide holder, rack & pinion drive focusable Abbe condenser 0.9/ 1.25 N.A with iris diaphragm & cord holder.</p>	65240
<p>3.7 a MAGNUS ADVANCE LABORATORY BINOCULAR MICROSCOPE MODEL MLXi Plus PRO Freedom complete with LED illumination with battery back, universal SMPS power supply for mains supply 100V~240V, quintuple ball bearing inward nosepiece, co-axial coarse and fine focusing control, high resolution Infinity corrected Super Plan Achromatic Objectives 4x, 10x, 20x, 40x (spring), 100x oil (spring), 360 degree rotatable inclined Siedentopf binocular observation tube with eyepoint height adjustment , fungus resistant coated optics for tropical conditions, widefield paired eyepiece WH10x (F.N.22) with one eyepiece having diopter setting, right hand control co-axial low drive non-rackless mechanical stage (rack & pinion) with double slide holder, rack & pinion drive focusable Abbe condenser 0.9/ 1.25 N.A with iris diaphragm & cord holder.</p>	65240
<p>3.8 MAGNUS ADVANCE LABORATORY TRINOCULAR MICROSCOPE MODEL MLXi Tr Plus PRO Freedom complete with LED illumination with battery back, universal SMPS power supply for mains supply 100V~240V, quintuple ball bearing inward nosepiece, co-axial coarse and fine focusing control, high resolution Infinity corrected Super Plan Achromatic Objectives 4x, 10x, 20x, 40x (spring), 100x oil (spring), 360 degree rotatable inclined Siedentopf trinocular observation tube with eyepoint height adjustment , fungus resistant coated optics for tropical conditions, widefield paired eyepiece WH10x (F.N.22) with one eyepiece having diopter setting, right hand control co-axial low drive rackless mechanical stage with single slide holder, rack & pinion drive focusable Abbe condenser 0.9/ 1.25 N.A with iris diaphragm & cord holder.</p>	69125
<p>3.8 a MAGNUS ADVANCE LABORATORY TRINOCULAR MICROSCOPE MODEL MLXi Tr Plus PRO Freedom complete with LED illumination with battery back, universal SMPS power supply for mains supply 100V~240V, quintuple ball bearing inward nosepiece, co-axial coarse and fine focusing control, high resolution Infinity corrected Super Plan Achromatic Objectives 4x, 10x, 20x, 40x (spring), 100x oil (spring), 360 degree rotatable inclined Siedentopf trinocular observation tube with eyepoint height adjustment , fungus resistant coated optics for tropical conditions, widefield paired eyepiece WH10x (F.N.22) with one eyepiece having diopter setting, right hand control co-axial low drive non-rackless mechanical stage (rack & pinion) with double slide holder, rack & pinion drive focusable Abbe condenser 0.9/ 1.25 N.A with iris diaphragm & cord holder.</p>	69125
Optional items for Model MLXi Plus	
3.9 Additional charges for Quintuple nosepiece in place of Quadruple nosepiece	1645
3.10 Additional charges for Rackless stage instead of standard stage	3550
3.11 Additional charges for Butterfly head (instead of normal siedentopf head)	3170

PRICE LIST (2025-26)

(Effective from 5th May 2025)

ITEM DESCRIPTION

Customer Price
in INR.
(Excl. GST &
Transportation)

MULTI-HEAD TEACHING MICROSCOPE

(for Medical & Research Education)

- | | | |
|------|---|--------|
| 3.12 | Magnus Penta Head Microscope MX21i TR LED with LED pointer attachment with two support stands & connecting fittings & Binocular heads & paired eyepieces for 4 co-observers to get same orientation of image as that of main observation. | 682165 |
|------|---|--------|



- | | | |
|------|---|--------|
| 3.13 | Magnus Penta Head Microscope MLXi TR Plus LED with LED pointer attachment with two support stands & connecting fittings & Binocular heads & paired eyepieces for 4 co-observers to get same orientation of image as that of main observation. | 671675 |
|------|---|--------|

- | | | |
|------|--|--------|
| 3.14 | Magnus Face to face Dual Head Microscope (MLXi Plus - Trinocular) with LED pointer attachment with Binocular head and paired eyepieces for 1 co-observers to get same orientation of image as that of main observation | 338760 |
|------|--|--------|



- | | | |
|------|--|---------|
| 3.15 | Magnus Deca Head Microscope Model DH10LED with Trinocular observation tube for Main Observer, paired widefield eyepiece 10x/22, 3 color LED Pointer attachment with support stands & connecting fittings, Binocular heads (F.No. 22) & paired eyepieces 10x/22 mm for 9 co-observers to get same orientation of image as that of main observer. | 1857135 |
|------|--|---------|

- | | | |
|------|---|--------|
| 3.16 | Magnus Penta Head Microscope Model PH5 LED with Trinocular observation tube for Main Observer, paired widefield eyepiece 10x/22, 3 color LED Pointer attachment with support stands & connecting fittings, 4 Nos. of Binocular heads (F.No. 22) & paired eyepieces 10x/22 mm for 4 co-observers to get same orientation of image as that of main observer. | 787280 |
|------|---|--------|

PRICE LIST (2025-26)

(Effective from 5th May 2025)

ITEM DESCRIPTION

Customer Price
in INR.
(Excl. GST &
Transportation)

LABORATORY MICROSCOPES

4 MLX Plus - SP Series

(with Semi-Plan Achromat Objectives)

MLX B Plus SP Hal. : Rs 35770	MLX TR Plus SP Hal. : Rs 38700
MLX B Plus SP LED : Rs 39240	MLX TR Plus SP LED : Rs 42365
MLX B Plus SP Fr. : Rs 42300	MLX TR Plus SP Fr. : Rs 46845

- 4.1 Magnus Laboratory Binocular Microscope **Model MLX-B Plus** (Semi Plan) standard microscope set complete with built-in 6V20W halogen light illuminator with regular power supply, quadruple ball bearing nosepiece, co-axial coarse and fine focusing controls, high resolution Semi-Plan Achromat objectives 4x, 10x, 40x (spring) and 100x (spring, oil immersion), 360deg rotatable inclined binocular tube, fungus resistant optics for tropical use, widefield paired eyepiece HWF10x (F.N.18), right hand control co-axial low drive mechanical stage and rack & pinion focusable Abbe condenser 0.9/1.25 N.A with iris diaphragm complete set.



35770

- 4.2 Magnus Laboratory Binocular Microscope **Model MLX-B Plus LED** (Semi Plan) same as 'MLX-B Plus' (Semi Plan) replacing halogen illumination with LED illumination.

39240

- 4.3 Magnus Laboratory Binocular Microscope **Model MLX-B Plus Freedom** (Semi Plan) same as 'MLX-B Plus LED' (Semi Plan) but with battery back-up.

42300

- 4.4 Magnus Laboratory Trinocular Microscope **Model MLX-TR Plus** (Semi Plan) same as 'MLX-B Plus' (Semi Plan) replacing Binocular with trinocular tube.

38700

- 4.5 Magnus Laboratory Trinocular Microscope **Model MLX-TR Plus LED** (Semi Plan) same as 'MLX-TR Plus' (Semi Plan) replacing halogen illumination with Long lasting LED illumination.

42365

- 4.6 Magnus Laboratory Trinocular Microscope **Model MLX-TR Plus Freedom** (Semi Plan) same as 'MLX-TR Plus LED' (Semi Plan) but with Battery Back-up.

46845

MLX Plus - Plan Series (with Plan Achromat Objectives)

MLX B Plus LED (Plan Achromat) : Rs 41855
MLX B Plus Freedom (Plan Achromat) : Rs 45095

- 4.7 Magnus Laboratory Binocular Microscope **Model MLX-B Plus LED** (Plan Achromat) standard microscope set complete with built in LED illumination with universal SMPS power supply for 100-240V, quadruple ball bearing nosepiece, coaxial coarse & fine focus drive controls, high resolution long barrel Plan Achromat objectives 4x, 10x, 40x (spring), 100x (spring, oil immersion), 360 degrees rotatable inclined binocular tube, fungus resistant optics for tropical use, widefield paired eyepiece HWF10x (F.No. 18), right hand control coaxial low drive mechanical stage, focusable rack & pinion drive Abbe condenser N.A. 1.25 with iris diaphragm complete set.



41855

- 4.8 Magnus Laboratory Binocular Microscope **Model MLX-B Plus Freedom** (Plan Achromat) same as 'MLX-B Plus LED' (Plan Achromat) but with battery back-up.

45095

PRICE LIST (2025-26)

(Effective from 5th May 2025)

ITEM DESCRIPTION

Customer Price
in INR.
(Excl. GST &
Transportation)

5 INCLINED LABORATORY MONOCULAR MICROSCOPE
MLX-M Plus Series (with Semi Plan Achromat Objectives)



MLX M Plus SP Halogen : Rs 32755

MLX M Plus LED : Rs 36400

MLX M Plus Freedom : Rs 39800



- | | | |
|-----|--|--------------|
| 5.1 | MAGNUS INCLINED MONOCULAR MICROSCOPE
MODEL MLX-M Plus standard set complete with co-axial coarse and fine focus drive with focus stop, built-in 6V20W halogen light illumination with regulated intensity control, movable condenser drive, Abbe Condenser 1.25 NA with Aperture iris diaphragm, Right hand control coaxial Mechanical Stage with coaxial X & Y drive including slider holder, paracentric quadruple ball bearing nosepiece, high resolution long barrel Semi Plan Achromatic objectives 4x, 10x, 40x (spring) and 100x (spring, oil immersion), 360 degree rotatable inclined monocular observation tube with widefield eyepiece 10x (F.N.18) complete set | 32755 |
| 5.2 | MAGNUS INCLINED MONOCULAR MICROSCOPE
MODEL MLX-M Plus LED same as "MLX-M Plus" but with LED illumination. | 36400 |
| 5.3 | MAGNUS INCLINED MONOCULAR MICROSCOPE
MODEL MLX-M Plus Freedom same as "MLX-M Plus" but with LED illumination and battery backup. | 39800 |

Magnus MagMaster MONOCULAR ECO TEACHING MICROSCOPE

- | | | | |
|-----|--|--------------|---|
| 6.1 | MagMaster HM100
All metal rugged Stand with individual Coarse & Fine Focus drive with focus stop, Maintenance Free ECO LED illumination including Battery backup with regulating intensity control for 220V/50Hz, Achromatic Condenser 0.65 NA with aperture iris diaphragm, 110 X 120 mm stage with clips, Quadruple revolving nosepiece, Achromatic objectives 4x, 10x, 40x (spring), 360° rotatable 45° inclined Monocular head with Widefield Eyepiece 10x/18 lockable , dust cover complete set. | 18620 |  |
| 6.2 | MagMaster SM100
All metal rugged Stand with individual Coarse & Fine Focus drive with focus stop, Maintenance Free ECO LED illumination including Battery backup with regulating intensity control for 220V/50Hz, movable Achromatic Condenser 0.90 NA with aperture iris diaphragm, 115 X 125 mm double plate Mechanical Stage with coaxial XY Drive knobs, Quadruple revolving nosepiece, Achromatic objectives 4x, 10x, 40x (spring), 100x (spring, Oil imm.), 360° rotatable 45° inclined Monocular head with Widefield Eyepiece 10x/18 lockable , dust cover complete set. | 25175 |  |



PRICE LIST (2025-26)

(Effective from 5th May 2025)

ITEM DESCRIPTION	Customer Price in INR. (Excl. GST & Transportation)
7 STEREO MICROSCOPES - MS SERIES	
<p>7.1 MAGNUS STEREOSCOPIC BINOCULAR MICROSCOPE complete with paired widefield eyepiece 10x (F.N.23) with in-built Light Stand (Incident : 6V10W Lamp / Transmitted : 5W Fluorescence Lamp) complete set in thermocole packing (available in 2 models) :</p> <p>a) MODEL MS 24 with turret mounted (2x & 4x) in-built objectives or</p> <p>b) MODEL MS 13 with turret mounted (1x & 3x) in-built objectives</p>	49620
	
<p>7.2 MAGNUS STEREOSCOPIC BINOCULAR MICROSCOPE complete with paired widefield eyepiece 10x (F.N.23) without Light Stand complete set in thermocole packing (available in 2 models) :</p> <p>a) MODEL MS 24 with turret mounted (2x & 4x) in-built objectives or</p> <p>b) MODEL MS 13 with turret mounted (1x & 3x) in-built objectives</p>	39820
<p>7.3 MAGNUS STEREOSCOPIC BINOCULAR MICROSCOPE complete with paired widefield eyepiece 10x (F.N.23) with in built LED Light Stand (Incident : LED / Transmitted : LED) with thin base complete set in thermocole packing (available in 2 models) :</p> <p>a) MODEL MS 24 with turret mounted (2x & 4x) in-built objectives or</p> <p>b) MODEL MS 13 with turret mounted (1x & 3x) in-built objectives</p>	57190
MAGNUS TEACHING DISSECTION MICROSCOPE	
<p>7.4 MagStereo FM 24 (Halogen) Dual Step Stereo Microscope with pillar stand for adjustable focusable working distance including transmitted & reflected halogen light illumination, 95 mm glass plate, Black & White stage plate with clips, 360° rotatable Rack & pinion focus drive, dual step turret objective of 2x (81 mm) / 4x (58 mm) for magnification of 20x or 40x with paired widefield eyepiece 10x/ 20 mm, Microscope body with built in 45° binocular observation tube with IPD of 55-75 mm, +/- 5 mm adjustable diopter, dust cover complete set.</p>	21015
	
<p>7.5 MagStereo FM 24 (LED with Battery Back-up) Dual Step Stereo Microscope with pillar stand for adjustable focusable working distance including transmitted & reflected LED light illumination with battery back-up, 95 mm glass plate, Black & White stage plate with clips, 360° rotatable Rack & pinion focus drive, dual step turret objective of 2x (81 mm) / 4x (58 mm) for magnification of 20x or 40x with paired widefield eyepiece 10x/ 20 mm, Microscope body with built in 45° binocular observation tube with IPD of 55-75 mm, +/- 5 mm adjustable diopter, dust cover complete set.</p>	22430

PRICE LIST (2025-26)

(Effective from 5th May 2025)

ITEM DESCRIPTION		Customer Price in INR. (Excl. GST & Transportation)
8 ZOOM STEREO MICROSCOPES - MSZ SERIES		
8.1	MAGNUS ZOOM STEREO BINOCULAR MICROSCOPE MODEL MSZ-BI , 45 degree inclined having Zoom Ratio 1:7, Objective Zoom Range 0.65x-4.5x (Magnification Range : 6.5x - 45x with 10x eyepiece), Paired Widefield Eyepieces SWF10x/22mm, working distance 100mm, With in-built Light Stand (Incident : 6V15W halogen Lamp with reflector & Transmitted : 5W Fluorescence Lamp) Standard set. Features : It has a large visual field & high diopter. It can be used extensively for medical applications, Inspection of gems, electronic components & precision machinery components.	74025
		
8.2	Magnus Zoom Stereo Binocular Microscope Model MSZ-BI (LED) same as 'MSZ-BI' but with LED light source instead of standard light source.	74690
8.3	MAGNUS ZOOM STEREO TRINOCULAR MICROSCOPE MODEL MSZ-TR (with C-Mount tube for camera attachment) 45 degree inclined having Zoom Ratio 1:7, Objective Zoom Range 0.65 - 4.5x (Magnification Range : 6.5x - 45x with 10x eyepiece), Paired Widefield Eyepieces SWF10x/22mm, working distance 100mm, With in-built Light Stand (Incident : 6 V 15W Halogen Lamp with reflector & Transmitted : 5W Fluorescence Lamp) Standard set. Features : It has a large visual field & high diopter. It can be used extensively for medical applications, Inspection of gems, electronic components & precision machinery components.	105905
		
8.4	Magnus Zoom Stereo Trinocular Microscope Model MSZ-TR (LED) same as 'MSZ-TR' but with LED light source instead of standard light source.	112350
ACCESSORIES FOR STEREO MICROSCOPES - MS / MSZ SERIES		
8.5	Darkfield Attachment (with specimen holder) for inspection of Gems & Micro Samples under transmitted light	7180
8.6	Fluorescence Ring Light	5225
8.7	Fibre Optics Illuminator (Ring Light)	59280
8.8	Fibre Optics Illuminator (Bifurcated)	55370
8.9	Widefield Eyepieces 10x (Paired)	14205
8.10	Widefield Eyepieces 15x (Paired)	14205
8.11	Widefield Eyepieces 20x (Paired)	14205
8.12	Auxilliary Objective 0.5x	9785
8.13	Auxilliary Objective 0.75x	9785
8.14	Auxilliary Objective 1.5x	9785
8.15	Auxilliary Objective 2x	9785
8.16	LED Ring illuminator	7430
8.17	6V 15W Halogen Lamp with reflector (MSZ Series)	1950
8.18	6V 10W Halogen Lamp with reflector (MS Series)	1950
8.19	Spare Fluorescence Lamp	1320
8.20	24V150W bulb for fibre optics illuminator	1320

PRICE LIST (2025-26)






(Effective from 5th May 2025)

ITEM DESCRIPTION		Customer Price in INR. (Excl. GST & Transportation)
Magnus MagZoom ZOOM STEREO MICROSCOPES		
8.21	<p>MagZoom ZM 6</p> <p>Zoom Stereo Microscope (1: 6.7) with Compact & ergonomically design pillar stand for adjustable working distance (26 mm - 286 mm) with integrated transmitted & reflected light maintainance free LED illumination with independent intensity regulation for main supplies from 110- 240V/50Hz , 100 mm glass plate and Black & White stage plate with clips, 360° rotatable Rack & pinion focus drive with adjustable focus tension, microscope body with built-in 45° binocular observation tube with IPD of 54-76 mm, +/- 5 mm adjustable diopter including built-in 1x objective (WD 100 mm) for magnification from 6.7x - 45x with paired widefield eyepiece 10x/ 22 mm, dust cover complete set.</p> <p>Option: Magnification range extendable from 2x - 225x with auxillary objective & eyepiece</p>	102435
8.22	<p>MagZoom TZM 6</p> <p>Trinocular Zoom Stereo Microscope (1: 6.7) with Compact & ergonomically design pillar stand for adjustable working distance (26 mm - 286 mm) with integrated transmitted & reflected light maintainance free LED illumination with independent intensity regulation for main supplies from 110- 240V/50Hz , 100 mm glass plate and Black & White stage plate with clips, 360° rotatable Rack & pinion focus drive with adjustable focus tension, microscope body with built-in 45° Trinocular observation tube with IPD of 54-76 mm, +/- 5 mm adjustable diopter including built-in 1x objective (WD 100 mm) for magnification from 6.7x - 45x with paired widefield eyepiece 10x/ 22 mm, dust cover complete set.</p>	116815
Accessories for MagZoom ZM6 & TZM6		
8.23	Widefield Paired Eyepieces 15x/16	22265
8.24	Widefield Paired Eyepieces 20x/12	22265
8.25	Widefield Paired Eyepieces 30x/8	22265
8.26	Auxilliary Objective 0.5x	10910
8.27	Auxilliary Objective 1.5x	10910
8.28	Auxilliary Objective 2x	10910
8.29	C-Mount Adapter 0.5x for TZM6	14835




PRICE LIST (2025-26)

(Effective from 5th May 2025)

ITEM DESCRIPTION	Customer Price in INR. (Excl. GST & Transportation)
<p>8.30 MagZoom ZM 6 for IVF/ Nematodes/ Zebra Fish</p> <p>Binocular Stereozoom Microscope Model ZM6 consisting of zoom binocular observation tube inclined at 45 degrees with IPD of 54-76 mm, +/- 5 mm adjustable diopter , zoom zatio of 1: 6.7, with built in 1x objective, transmitted light of 6V20W halogen light with reflector mirror & glass plate, paired widefield eyepiece of 10x/22 mm, Magnification: 6.7x~45x (with built in 1x objective & paired eyepiece of 10x) with continuous zoom , Rack & pinion Coarse focusing drive & dust cover.</p>	136255
	
<p>8.31 MagZoom TZM6 for IVF/ Nematodes/ Zebra Fish</p> <p>Trinocular Stereozoom Microscope Model TZM6 consisting of zoom Trinocular observation tube inclined at 45 degrees with IPD of 54-76 mm, +/- 5 mm adjustable diopter , zoom zatio of 1: 6.7, with built in 1x objective, transmitted light of 6V20W halogen light with reflector mirror & glass plate, paired widefield eyepiece of 10x/22 mm, Magnification: 6.7x~45x (with built in 1x objective & paired eyepiece of 10x) , Rack & pinion Coarse focusing drive & dust cover.</p>	147040
	
<p>8.32 MagZoom TZM12</p> <p>Trinocular Stereo Zoom Microscope Model TZM12 consisting of Zoom Ratio 1:12.5, Zoom range 0.63X~8X, built-in aperture diaphragm, tilting Trinocular head (5~45°), beam splitter ratio 100:0, 0:100, IPD 50-76 mm , Plan Achromat objective 1x (WD 78 mm), paired wide field eyepiece 10X (F.No. 22), diopter adjustable , Co-axial coarse & fine focusing mechanism, ultra-thin multi LED base of 5W & LED ring lamp for reflected light, C-Mount adapter of 0.5x, transparent glass plate & black and white plate, dust cover complete set.</p>	6,57,690
	

PRICE LIST (2025-26)

(Effective from 5th May 2025)

ITEM DESCRIPTION		Customer Price in INR. (Excl. GST & Transportation)
9 INVERTED MICROSCOPE - INVI		
9.1	MAGNUS INVERTED TISSUE CULTURE TRINOCULAR MICROSCOPE MODEL INVI (HL) for brightfield and phase contrast applications (30° inclined, interpupillary 48mm~75mm) having 6v30w halogen light illuminator, quintuple revolving nosepiece, coaxial coarse (stroke : 37.7mm per rotation) & fine (stroke : 0.2mm per rotation) adjustment, plain stage (160x250mm) with glass insert, auxiliary stage 70x180mm, Condenser LWD 72mm, Long working distance Plan Infinity Brightfield Objectives 4x/0.1 (W.D 18mm) & 40x/0.6 (W.D 2.6mm - Cover Glass 1.2mm) And Phase Contrast Objectives 10x/0.25 (W.D 10mm) & 20x/0.4 (W.D 5.1mm) with phase annulus plate (10x-20x, 40x) & High eyepoint, extra wide field eyepiece EW10x (F.N.22) standard set complete. Features : Long Working Distance Plan Infinity Optics, Pre-Centered Phase Annulus, Trinocular Port In Standard Unit, Excellent Field Flatness	194600
		
9.2	MAGNUS INVERTED TISSUE CULTURE TRINOCULAR MICROSCOPE MODEL INVI (LED) same as Invi (HL) but with LED instead of halogen	199970
9.3	MAGNUS INVERTED TISSUE CULTURE TRINOCULAR MICROSCOPE MODEL INVI (HL) WITH ACCESSORIES: - with long working distance Plan Infinity Phase Contrast objective 40x/ 0.6 with annular plate, - Attachable Mechanical Stage X -Y Coaxial Control, moving range 120 X 78 mm, Petri dish holder (38 mm dia.) , slide glass holder & Terasaki Holder (38 mm dia.)	266385
9.4	MAGNUS INVERTED TISSUE CULTURE TRINOCULAR MICROSCOPE MODEL INVI (LED) WITH ACCESSORIES: - with long working distance Plan Infinity Phase Contrast objective 40x/ 0.6 with annular plate, - Attachable Mechanical Stage X -Y Coaxial Control, moving range 120 X 78 mm, Petri dish holder (38 mm dia.) , slide glass holder & Terasaki Holder (38 mm dia.)	270245
ACCESSORIES FOR INVI (S.No. 9.1 & 9.2)		
9.5	Phase Contrast Objective 40x with annular plate Long working distance Plan Infinity Phase Contrast Objective 40x/0.6 - (Cover Glass 1.2mm) (For Invi)	41210
9.6	Attachable Mechanical Stage X-Y Co-axial Control, Moving Range 120 x 78mm (For Invi)	35595
9.7	Terasaki Holder, 38mm dia (for Invi)	5380
9.8	Petri Dish Holder, 38 mm dia (for Invi)	4710
9.9	Glass slide Holder (for Invi)	4710

PRICE LIST (2025-26)

(Effective from 5th May 2025)

ITEM DESCRIPTION

Customer Price
in INR.
(Excl. GST &
Transportation)

INVERTED FLUORESCENCE MICROSCOPE - FL INVERSE

**9.10 MAGNUS TRINOCULAR INVERTED FLUORESCENCE MICROSCOPE
FOR BRIGHT FIELD , PHASE CONTRAST & FLUORESCENCE
APPLICATION MODEL FL INVERSE**

1126990

Infinity Corrected Optical System with inclined Trinocular Observation tube with 50:50 light path having Interpupillary distance adjustment range of 50~75mm, Plan Achromat objective of 4x, LWD Plan Achromat Phase Objective of 10x (for BF & Phase), LWD Semi Plan Apo Phase 20x (for BF/ PH/ FL), LWD Semi Plan Apo Phase 40x (for BF/ PH/FL), quintuple revolving nosepiece, LWD Condenser with NA 0.30, WD 72 mm, Transmitted LED illumination, 215 X 250 mm fixed stage with Attachable mechanical stage having movement of 120 X 80 mm. LED based three band switching Fluorescence Attachment for Blue Filter (LED Module 470 nm) Green Filter (LED Module 560 nm) & UV Filter (LED Module 385 nm) for FL Inverse.



PRICE LIST (2025-26)

(Effective from 5th May 2025)

ITEM DESCRIPTION

Customer Price
in INR.
(Excl. GST &
Transportation)

10 REFLECTED LED FLUORESCENCE MICROSCOPE

Features:

1. Free from alignments.
2. The use of a high power EpiLED enables increased performance replacing conventional mercury arc-lamps.
3. Light Source Lifetime : Above 30000 hrs., allowing long years of operation without any cost of replaceable lamps.

User Benefits:

- Maintenance free operation with cost saving.
- No warmup and ready to use light source.
- Easy switchover from Bright field to Epi-Fluorescence observation.



REFLECTED LED FLUORESCENCE MICROSCOPE MODEL MLXi PLUS LED WITH EPI-LED

10.1	Magnus Binocular Microscope Model MLXi Plus LED (Same as S.No. 3.2) with Epi-LED Attachment with one Single Filter cube - Blue	148535
10.2	Magnus Binocular Microscope Model MLXi Plus LED (Same as S.No. 3.2) with Epi-LED Attachment with one Single Filter cube - Green	148535
10.3	Magnus Trinocular Microscope Model MLXi TR Plus LED (Same as S.No. 3.5) with Epi-LED Attachment with One single Filter cube - Blue	151720
10.4	Magnus Trinocular Microscope Model MLXi TR Plus LED (Same as S.No. 3.5) with Epi-LED Attachment with One single Filter cube - Green	151720
10.5	Magnus Binocular Microscope Model MLXi Plus LED (Same as S.No. 3.2) with Epi-LED Attachment with Dual Filter Cube (Blue & Green)	187695
10.6	Magnus Trinocular Microscope Model MLXi TR Plus LED (Same as S.No. 3.5) with Epi-LED Attachment with Dual Filter cube (Blue & Green)	190875
10.7	Magnus Trinocular Microscope Model MLXi TR Plus LED (Same as S.No. 3.5) with Epi-LED Attachment for Blue, Green & UV Filter cube	264875


PRICE LIST (2025-26)

(Effective from 5th May 2025)

ITEM DESCRIPTION		Customer Price in INR. (Excl. GST & Transportation)
EPI-LED FLUORESCENCE ATTACHMENT (FOR MX21i & MLXi PLUS)		
10.8	Magnus Epi-LED Single Filter - Blue : Reflected LED Fluorescence light attachment with 480nm Blue Excitation for Immunofluorescence tests. Standard set consists of : High efficiency 480nm Blue LED illuminator, 2 position filter slider with excitation band pass filter 480nm and long pass emission filter 510nm complete.	107205
10.9	Magnus Epi-LED Single Filter - Royal Blue : Reflected LED Fluorescence light attachment with 450nm Royal Blue Excitation for TB Diagnostic Test. Standard set consists of : High efficiency 450nm Royal Blue LED illuminator, 2 position filter slider with excitation band pass filter 450 nm and long pass emission filter 510nm complete.	107205
10.10	Magnus Epi-LED Single Filter-UV: Reflected LED Fluorescence light attachment applications like DAPI, Hoechst.	139045
10.11	Magnus Epi-LED Dual Filter - Blue & Green - Reflected Dual LED Fluorescence light attachment (with Front Selection of Filter cube & Switching LED switch) with 480nm BLUE & 535nm GREEN Excitation for Immunofluorescence tests. Standard set consists of : High efficiency 480nm & 535nm LED illuminators, filter slider with Blue filter cube consisting of excitation band pass filter 480nm & long pass emission filter 510nm and Green filter cube consisting of excitation band pass filter 535nm & long pass emission filter 575nm complete.	149940
10.12	Magnus Epi-LED Attachment with - Blue, Green & UV- Reflected LED Fluorescence light attachment	230970
Spare Excitation Filter For Epi-LED <i>Note: Model of the microscope to be used should be mentioned in the order.</i>		
10.13	Spare filter set with Excitation & Emission Filters for Blue or Royal Blue or Green (for Epi-LED)	43560

PRICE LIST (2025-26)

(Effective from 5th May 2025)

ITEM DESCRIPTION	Customer Price in INR. (Excl. GST & Transportation)
11 Digital Cameras FOR MICROSCOPES	
MagCam DC series	
11.1 MagCam Digital Camera (with Eyepiece Adapter)	
For use in Binocular eyepiece tube of MLX Plus , MLXi Plus , CH20i , MX21i & PRO series (STR* eyepiece tube adapter is Additionally required to use with ZM6 Zoom Stereo Binocular microscope)	
11.1.1 MagCam DC 5 (with eyepiece tube adapter)	40970
11.1.2 MagCam DC Plus 10 (with eyepiece tube adapter)	66465
11.1.3 MagCam DC Plus 25 (with eyepiece tube adapter)	82060
11.1.4 STR* eyepiece tube adapter (for MagZoom Stereo Bincocular Microscope)	1715
	
11.2 MagCam Digital Camera (with 1.0x TR adapter)	
For use in Trinocular head of MLXi Plus , MX21i series.	
11.2.1 MagCam DC 5 (with 1x TR adapter)	45510
11.2.2 MagCam DC Plus 10 (with 1x TR adapter)	70790
11.2.3 MagCam DC Plus 25 (with 1x TR adapter)	86385
11.3 MagCam Digital Camera (with 0.5X TR adapter)	
For use in Trinocular head of MLXi Plus , MX21i series.	
11.3.1 MagCam DC 5 (with 0.5x TR adapter)	62905
11.3.2 MagCam DC Plus 10 (with 0.5x TR adapter)	87370
11.3.3 MagCam DC Plus 25 (with 0.5x TR adapter)	102965
11.4 MagCam Digital Camera (with 0.35X TR adapter)	
For use in Trinocular head of MLXi Plus , MX21i series.	
11.4.1 MagCam DC 5 (with 0.35x TR adapter)	62905
11.4.2 MagCam DC Plus 10 (with 0.35x TR adapter)	87370
11.4.3 MagCam DC Plus 25 (with 0.35x TR adapter)	102965

PRICE LIST (2025-26)

(Effective from 5th May 2025)

ITEM DESCRIPTION		Customer Price in INR. (Excl. GST & Transportation)
C-MOUNT ADAPTER (for MX21i TR, MLXi TR Plus)		
11.5.1	1x C-Mount Adapter	4630
11.5.2	0.5X C-Mount Adapter	22370
11.5.3	0.35X C-Mount Adapter	22370
12	MagCam HD : High Definition HDMI Cameras for high resolution Digital Teaching (For PC)	
12.1	<p>Magnus Magcam HD 8 4K HDMI Camera with 8 MP with 0.5x C-Mount adapter (3840 X 2160 resolution) having Sony back illuminated CMOS sensor, Frame rate output @ 75 fps (Video), @ 60 fps (HDMI 2.0), @ 30 fps (USB 3.0), exposure time: 0.048~1000 ms, Output Slots – USB3/ HDMI/ SD, 4 GB SD card, comes with Magvision Software having features like Point to point measurement, calibration, scale bar, image comparison, auto white balance, brightness, contrast, Gamma settings with C-Mount adapter of 0.5x.</p> <p>Packing includes: 8 MP HDMI Camera, HDMI Cable, SD Card 4 GB, Calibration slide, Magvision Software, Mouse, C-Mount adapter 0.5x</p>	141810
12.2	<p>Magnus Magcam HD7 Cooled Camera</p> <p>Specifications: 7.0 Mega Pixel CMOS Camera with Sony Exmor sensor having sensor size of 1.1", Resolution: 3200x2200, suitable for Fluorescence & Bright Field Imaging, frame rate of 51.3@3200x2200, pixel size 4.5 X 4.5 um, Binning 1X1, USB 3 port for faster data transfer, comes with a software for point to Point measurement, auto white balance, auto exposure option, basic setting: Gain, Gamma, Contrast, Auto white balance, optical Port : C-Mount compatible with Windows 10.</p> <p>Two stage TE-cooling system 45 degree C below Camera Body temperature.</p> <p>Packing includes: HD7 cooled camera, C-Mount adapter 0.5x, USB 3 cable, calibration slide</p>	269060
12.3	<p>Magnus Magcam HD8 Cooled Camera</p> <p>Specifications: 8.3 Mega Pixel CMOS Camera with Sony Exmor sensor having sensor size of 1/1.2", Resolution: 3840x2160, suitable for Fluorescence & Bright Field Imaging, frame rate of 45@3840x2160, pixel size 2.9 X 2.9 um, Binning 1X1, USB 3 port for faster data transfer, comes with a software for point to Point measurement, auto white balance, auto exposure option, basic setting: Gain, Gamma, Contrast, Auto white balance, optical Port : C-Mount compatible with Windows 10.</p> <p>Two stage TE-cooling system 45 degree C below Camera Body temperature.</p> <p>Packing includes: HD8 cooled camera, C-Mount adapter 0.5x, USB 3 cable, calibration slide</p>	129760
12.4	<p>Magnus Magcam HD 8 4K2 HDMI Camera with 8 MP with 0.5x C-Mount adapter</p> <p>Specifications: 8.0 Mega Pixel CMOS Camera with Sony STARVIS 2 back-illuminated CMOS sensor having sensor size of 1/1.8", Resolution: 3840x2160, suitable for biological microscope and stereo microscope, frame rate of 60@3840x2160, pixel size 2.0 X 2.0 um, Binning 1X1, USB 3 port for faster data transfer, comes with a inbuilt software for point to Point measurement, auto white balance, auto exposure option, basic setting: Gain, Gamma, Contrast, Auto white balance, optical Port : C-Mount</p> <p>Packing includes: HD8 4K2 HDMI camera, C-Mount adapter 0.5x, USB 3 cable, calibration slide</p>	101550

PRICE LIST (2025-26)

(Effective from 5th May 2025)

ITEM DESCRIPTION	Customer Price in INR. (Excl. GST & Transportation)
13 Magnus MagCam MU 2A MP Camera	
13.1 Specifications: 2.0 Mega Pixel CMOS Camera with Sony Exmor sensor having sensor size of 1/2", Resolution: 1920 X 1080, suitable for Fluorescence & Bright Field Imaging, frame rate of 125 @1920 X 1080 , pixel size 3.75 X 3.75 um, Binning 1X1, USB 3 port for faster data transfer, comes with a software for point to Point measurement, auto white balance, auto exposure option, basic setting: Gain, Gamma, Contrast, Auto white balance, optical Port : C-Mount compatible with Windows 10. Packing includes: 2.0 MP Camera, C-Mount adapter 0.5x , USB 3 cable, calibration slide	102265
13.2 Same as above i.e. S.No. 13.1 but with 0.35x C-Mount adapter instead of 0.5x C-Mount adapter	102265
14 Digital HDMI Camera with Screen	
14.1 Magnus 2 MP HDMI Camera with Digital HDMI Screen 13.3" Camera Pixel size of 2.9 µm X 2.9 µm, Frame rate of 60 fps @ 1920 X 1080 (HDMI), USB Mouse controlled HDMI Screen. Packing includes HDMI Cable & 4 GB SD Card including 0.5X C-Mount adapter & calibration slide	105680
14.2 Same as above i.e. S.No. 14.1 but with 0.35x C-Mount adapter instead of 0.5x C-Mount adapter	105680
14.3 Same as above i.e. S.No. 14.1 but with Eyepiece tube adapter instead of 0.5x C-Mount adapter (for CH20i TR Series / MLX Tr Plus Series)	85810
Digital Microscope	
14.4 Magnus Microscope Model MX21i LED (without observation tube & without paired 10x eyepiece) with Digital imaging Head & iPad	200305

PRICE LIST (2025-26)

(Effective from 5th May 2025)

ITEM DESCRIPTION		Customer Price in INR. (Excl. GST & Transportation)
ACCESSORIES FOR MICROSCOPES		
15 PHASE CONTRAST ATTACHMENT		
<u>For Model MLX Plus</u>		
15.1	Phase contrast PC2 for MLX plus - type 1 push fit type for 10x,20x	37205
15.2	Phase contrast PC2 for MLX plus - type 2 push fit type for 10x,40x	40735
15.3	Phase contrast PCD4 for MLX plus - turret type for 10x, 20x, 40x, 100x, DF, BF	64865
<u>For Model MLXi Plus / MLXi Plus PRO / MX35i PRO</u>		
15.4 a	Phase contrast PCD4X for MLXi plus - turret type for 10x, 20x, 40x, 100x, DF, BF	65220
15.4 b	Phase contrast PCD4X for MLXi PRO Plus/ MX35i PRO - turret type for 10x, 20x, 40x, 100x, DF, BF with CT adapter	66290
<u>For Model CH20i</u>		
15.5	Phase contrast PC2 for CH20i - type 1 push fit type for 10x, 20x	35830
15.6	Phase contrast PC2 for CH20i - type 2 push fit type for 10x, 40x	39225
<u>For Model MX21i</u>		
15.7	Phase contrast PC2X for MX21i - type 2 push fit type for 10x, 40x	39590
15.8	Phase contrast PC4X for MX21i - type 3 push fit type for 10x, 20x, 40x,100x	62460
15.9	Spare: Coated green filter 550nm	8760
PHASE CONTRAST MICROSCOPES		
15.10	Magnus Phase Contrast Microscope Model MLXi TR Plus LED (same as S.No. 3.5 but with bright field objectives of 10x, 40x & 100x) + PCD4x (same as S.No. 15.4a)	107590
15.11	Magnus Phase Contrast Microscope Model MX35i PRO (without bright field objectives of 10x, 20x, 40x & 100x) + PCD4x (same as S.No. 15.4b)	132490



PRICE LIST (2025-26)

(Effective from 5th May 2025)

ITEM DESCRIPTION		Customer Price in INR. (Excl. GST & Transportation)
16 DARKFIELD ATTACHMENT		
16.1	Oil Immersion Darkfield Condenser including Objective 100x with iris diaphragm for MLX Plus	54200
16.2	Oil Immersion Darkfield Condenser including Infinity Objective 100x with iris diaphragm for MLXi Plus	64440
16.3	Dry Dark field Condenser for use up to 40x objective for MLX Plus/MLXi Plus	10035
16.4	Darkfield stop DS	1725
17 POLARIZING ATTACHMENT		
17.1	Polarizing attachment consisting of Polarizer & Analyser for MLXi Plus / MX35i PRO	6155
17.2	Polarizing attachment consisting of Polarizer & Analyser for MX21i with adapter	7405
18 DIGITAL WARM STAGE ATTACHMENT		
18.1	Digital Warm Stage (Temp. from 27°C to 45°C) (for use with MLX Plus / MLXi PLUS / CH20i /MX21i)	47295
19 KÖHLER ILLUMINATION ATTACHMENT		
19.1	Field iris diaphragm attachment to set up the Köhler illumination (for use with MLX Plus / MLXi PLUS / CH20i /MX21i/ MX35i PRO)	4190

PRICE LIST (2025-26)

(Effective from 5th May 2025)

ITEM DESCRIPTION		Customer Price in INR. (Excl. GST & Transportation)
20 TRINOCULAR / BINOCULAR / MONOCULAR TUBE		
TRINOCULAR TUBE		
20.1	Trinocular tube for CH20i / MLX Plus (100:0/0:100)	12530
20.2	Trinocular tube for MX21i (100:0/0:100)	18640
20.3	Trinocular tube for MLXi Plus (100:0/0:100)	15110
20.4	Trinocular tube for MLXi Plus PRO (100:0/ 0:100, F.No. 22)	16810
20.5	Trinocular tube with 70:30 fixed light path for simultaneous viewing for Model MX21i PRO / MX35i PRO (F.No. 22) with adjustable eyepoint	21435
BINOCULAR TUBE		
20.6	Binocular Tube for CH20i / MLX Plus	9505
20.7	Binocular tube for MX21i	15110
20.8	Binocular tube for MLXi Plus	11465
20.9	Binocular tube for MLXi Plus PRO (supporting F.No. 22)	13285
MONOCULAR TUBE		
20.10	Monocular Tube for MLX M Plus	4890
21 OBJECTIVES & EYEPIECES		
For MX21i, MX21i PRO, MX35i PRO & CX21i		
21.1	Magnus Infinity Plan Achromat Objective 4X	4135
21.2	Magnus Infinity Plan Achromat Objective 10X	5300
21.3	Magnus Infinity Plan Achromat Objective 40X (Spring)	7255
21.4	Magnus Infinity Plan Achromat Objective 100X (spring, oil imm.)	10095
21.5	Magnus Wide Field Paired Eyepiece 10X (F.N.20) (for MX21i)	8250
21.6	Magnus Infinity Plan Achromat Objective 20X	10555
21.7	Magnus Infinity Plan Achromatic Objective NC40X, spring (No cover slip)	9320
21.8	Magnus widefield paired eyepiece WH10x (F.N.22) - For MX21i PRO / MX35i PRO	9740
21.9	Eyeguard for MX21i PRO/ MX35i PRO paired eyepiece 10x/ 22	535
21.10	Eyeguard for MX21i paired eyepiece 10x/20	535
For CH20i		
21.11	Magnus Achromatic Objective iNEA 4X	3550
21.12	Magnus Achromatic Objective iNEA 10X	3810
21.13	Magnus Achromatic Objective iNEA 40X (spring)	4720
21.14	Magnus Achromatic Objective iNEA 100X (spring, oil imm.)	6720
21.15	Magnus iCWHK10X Wide Field Paired Eyepiece 10X (F.N.18)	7655
21.16	Plastic Ring Cover for CH20i Eyepiece pair	105

PRICE LIST (2025-26)

(Effective from 5th May 2025)

ITEM DESCRIPTION	Customer Price in INR. (Excl. GST & Transportation)
For MLXi Plus	
21.17 Magnus Infinity Plan Achromatic Objective 4X	3590
21.18 Magnus Infinity Plan Achromatic Objective 10X	3855
21.19 Magnus Infinity Plan Achromatic Objective 20X	7070
21.20 Magnus Infinity Plan Achromatic Objective 40X spring	4760
21.21 Magnus Infinity Plan Achromatic Objective NC40X, spring (No cover slip)	8170
21.22 Magnus Infinity Plan Achromatic Objective 100X (spring, oil)	6805
21.23 Magnus widefield paired eyepiece WH10x (F.N.20)	7745
21.24 Magnus Paired Eyepiece widefield WF15x	7240
21.25 Magnus widefield paired eyepiece WH10x (F.N.22) - For MLXi Plus PRO	9650
21.26 Eyeguard for MLXi Plus PRO paired eyepiece 10x/ 22	535
21.27 Eyeguard for MLXi Plus paired eyepiece 10x/ 20	535
For MLX Plus (Plan Achromat)	
21.28 Magnus Plan Achromatic Objective 4x	3415
21.29 Magnus Plan Achromatic Objective 10x	3670
21.30 Magnus Plan Achromatic Objective 20x	4990
21.31 Magnus Plan Achromatic Objective 40x (spring)	4545
21.32 Magnus Plan Achromatic Objective 100x (Spring, Oil Immersion)	6480
21.33 Magnus Paired eyepieces widefield HWF10x (F.N.18)	5170
21.34 Magnus Paired Eyepiece widefield WF15x	7515
21.35 Eyeguard for MLX Plus paired eyepiece 10x/ 18	535
For MLX Plus (Semi Plan SP-Version)	
21.36 Magnus SP Achromatic Objective 4x	2595
21.37 Magnus SP Achromatic Objective 10x	3115
21.38 Magnus Plan Achromatic Objective 20x - for MLX Plus SP Series	4990
21.39 Magnus SP Achromatic Objective 40x	4135
21.40 Magnus SP Achromatic Objective 100x (Spring, Oil Immersion)	5320
21.41 Magnus Paired eyepieces widefield HWF10x (F.N.18)	5170
21.42 Magnus eyepieces widefield HWF10x (F.N.18) (for MLX-M Plus)	2585
21.43 Magnus Paired Eyepiece widefield WF15x	7515
21.44 Eyeguard for MLX Plus paired eyepiece 10x/ 18	535

PRICE LIST (2025-26)

(Effective from 5th May 2025)

ITEM DESCRIPTION	Customer Price in INR. (Excl. GST & Transportation)
For HB	
21.45 Low Power Achromatic Objective 10x for HB	1940
21.46 High Power Achromatic Objective 40x for HB	3145
21.47 High power oil immersion Achromatic Objective 100x (oil) - for HB	3635
21.48 Widefield Eyepiece WF10x - for HB	1815
21.49 Dust Cover - for HB	545
21.50 Spare Mechanical stage - for HB	2375
21.51 Reflector Mirror (w/ clamp) - for HB	555
21.52 Wooden cabinet with lock & key - for HB	2285
21.53 LED Light Source for HB	910
22 MISC. SPARES	
22.1 Wooden cabinet with lock & key (for MX21i / CH20i / MLXi Plus / MLX Plus series)	2755
22.2 Immersion oil 5 ml.	365
22.3 Halogen bulb 6V20W (for MX21i / CH20i / MLXi Plus / MLX Plus)	480
22.4 Dust Cover - (for MX21i / CH20i / MLXi Plus / MLX Plus)	500
22.5 Blue Filter (for MX21i / CH20i / MLXi Plus / MLX Plus)	630
22.6 Power Cord (for MX21i / CH20i / MLXi Plus / MLX Plus)	440
22.7 Reflector Mirror (w/ clamp & base) (for MX21i / CH20i / MLXi Plus / MLX Plus)	900
22.8 OCM 10/100 mm Eyepiece Micrometer (Erma or equivalent) (For WF eyepieces of F.O.V 18mm) - for CH20i/ MLX Plus	1055
22.9 OCM 10/100 mm Eyepiece Micrometer (Erma or equivalent) (For WF eyepieces of F.O.V 20mm) - for MX21i/ MLXi Plus series	1545
22.10 . Wall Mount DC 9V universal power adapter for LED/ Freedom version	1975
22.11 DC 9V universal power adapter with power cord for LED/ Freedom version	2535
22.12 DC 12V universal power adapter with power cord for LED/ Freedom version (For Model MX21i PRO / MX35i PRO)	2605
22.13 Cord/ Adapter holder (For Model MX21i PRO / MX35i PRO)	3210
22.14 Security/ Anti theft lock (For Model MX21i PRO / MX35i PRO)	765
22.15 Stage Micrometer	1940
22.16 Eyepiece Micrometer with holding ring for MX21i PRO / MLXi Plus PRO/ MX35i PRO	2110
High-end Research Apochromat Objective for MX21i, MX35i PRO & MLXi Plus Series / with CX43 & BX series	
23 Magnus Infinity Corrected Plan Apochromat Objective 20x, NA 0.80	54285

PRICE LIST (2025-26)
(Effective from 5th May 2025)

ITEM DESCRIPTION

Customer Price
in INR.
(Excl. GST &
Transportation)

TERMS & CONDITIONS

- 1. PRICES :** All the prices are Customer selling prices including packing but **excluding GST @18% and Transportation.** Octroi will be extra (if applicable). In case of change in GST, the rates applicable on the date of supply will be charged.
- 2. ORDERING :** Firm order with acceptance of terms & conditions must be placed along with advance payment to **Magnus Opto Systems India Pvt. Ltd, A-3, Sector-81, Phase-II, Noida-201305 (U.P).** Supply and Invoicing would be done from **Magnus Opto Systems India Pvt. Ltd, A-3, Sector-81, Phase-II, Noida-201305 (U.P)**
- 3. PAYMENT :** Advance payment along with the confirmed order. All payments must be done through NEFT/ RTGS only.
- 4. DELIVERY SCHEDULE :** Stanadard delivery term is from Ex-stock subject to availability. The scheduled delivery period is 6 to 8 weeks from the date of receipt of confirmed order and advance payment. The exact delivery date shall be confirmed in the Order Confirmation.
- 5. MODE OF TRANSPORT :** Ordered items would be delivered to the consignee through company approved Road transporter.
- 6. WARRANTY :** One year against any manufacturing defects. Repair or replacement if required shall be done at authorised service centers only.
- 7. SPECIFICATIONS :** Company reserves the right of changing the specifications of the products for its improved performance without any prior notice.
- 8. BILLING & SUPPLIES :** Direct or through dealer duly authorised by us mentioning the Purchase Order reference.
- 9. The company reserve the rights to increase/ change / modify the prices at any time due to increase in prices of raw material, US dollar fluctuation etc.**

MAGNUS OPTO SYSTEMS INDIA PVT. LTD

Manufacturing : A-3, Sector-81, Phase-II, Noida-201305 (U.P)
Regd Office : A-5, Mohan Co-operative Indl. Estate,
Mathura Road, New Delhi-110 044
Email : info@magnusopto.com